

SWITCHING POWER SUPPLY



AWG	#16	#18	#20	#22	#24	#26
D	<1.8	<1.8	<1.5	<1.2	<1.0	<1.0


TWISTED
 TWISTED & HALF TIN DIPPED
 TWISTED & FULL TIN DIPPED

MODEL TFX Toleranc +/-
 CUSTOMER 15mm

UL1007	AWG22	YELLOW	+12V1
UL1007	AWG22	BLACK	GND
UL1007	AWG22	BLACK	GND
UL1007	AWG22	RED	+5V


UL1007	AWG18	RED	+5V
UL1007	AWG18	BLACK	GND
UL1007	AWG18	BLACK	GND
UL1007	AWG18	YELLOW	+12V1

UL1007	AWG18	YELLOW	+12V1
UL1007	AWG18	BLACK	GND
UL1007	AWG18	BLACK	GND
UL1007	AWG18	RED	+5V



UL1007	AWG18	BLACK	GND
UL1007	AWG18	BLACK	GND


UL1007	AWG18	YELLOW	+12V2
UL1007	AWG18	YELLOW	+12V2



UL1007	AWG18	ORANGE	+3.3V
UL1007	AWG18	YELLOW	+12V1
UL1007	AWG18	YELLOW	+12V1
UL1007	AWG18	PURPLE	+5Vsb
UL1007	AWG24	GRAY	PG
UL1007	AWG20	BLACK	GND
UL1007	AWG20	BLACK	GND
UL1007	AWG18	RED	+5V
UL1007	AWG18	BLACK	GND
UL1007	AWG18	RED	+5V
UL1007	AWG20	BLACK	GND
UL1007	AWG20	ORANGE	+3.3V
UL1007	AWG18	ORANGE	+3.3V
UL1007	AWG24	BLACK	-3.3Vs
UL1007	AWG24	ORANGE	+3.3Vs

UL1007	AWG18	BLACK	GND
UL1007	AWG18	RED	+5V
UL1007	AWG18	RED	+5V
UL1007	AWG18	RED	+5V

UL1007	AWG18	BLACK	GND
UL1007	AWG18	BLACK	GND
UL1007	AWG18	BLACK	GND
UL1007	AWG24	GREEN	DC-ON
UL1007	AWG18	BLACK	GND
UL1007	AWG20	BLUE	-12V
UL1007	AWG18	ORANGE	+3.3V





SWITCHING POWER SUPPLY




AWG	#16	#18	#20	#22	#24	#26
D	<1.8	<1.8	<1.5	<1.2	<1.0	<1.0

TWISTED
 TWISTED & HALF TIN DIPPED
 TWISTED & FULL TIN DIPPED

MODEL	TFX	Tolerance
CUSTOMER		+/- 15mm



300TFX : Dual SATA x 2



250TFX : Dual SATA x 1